

X-RAY FLUORESCENCE (XRF) ANALYSIS OF OBSIDIAN ARTIFACTS FROM
SHOOFLY RUIN, CENTRAL ARIZONA

by

M. Steven Shackley

Department of Anthropology

Arizona State University

11.20.86

Introduction

The following is a report of a x-ray fluorescence analysis of 27 obsidian artifacts from Shoofly Ruin, central Arizona. The analysis indicates that 17 (63%) of the artifacts were procured from the Government Mountain source to the north. Seven (26%) of the specimens were most likely procured from the Superior (Picketpost Mountain) glass source to the south. The remaining three specimens most closely match the Mule Creek/Gwynn Canyon source in west central New Mexico (two specimens), and one specimen cannot be confidently assigned to a source.

SHOOFLY CHAPTER
ARIZONA ARCHAEOLOGICAL SOCIETY
P. O. BOX 1613
PAYSON, AZ 85547-1613

Methodology

All obsidiandebitage, and projectile points were subjected to the same analytic conditions. Melt incompatible trace elements were used to determine the source.

The samples were analyzed for rubidium (Rb), strontium (Sr), zirconium (Zr), niobium (Nb) using the semi-quantitative rapid scan method (Jack and Carmichael 1969) on a manual Philips PW 1410 wavelength x-ray spectrometer with a Philips power supply, ratemeter and teletype in the Chemistry Department at Arizona State University. A tungsten (W) x-ray tube, scintillation counter and LiF (200) crystal were used operated in a vacuum path at 45Kv and 45mA for 80 live-seconds per element. The intensity values for all elements were computed for ratios of RbKa, SrKa, ZrKa, and NbKa radiation lines. The data were reduced through specific programs with a Zenith Z-161 Data Systems microprocessor. The elemental proportions are divided by the rubidium peak intensity and summed. These results are then divided by the summed intensities and the resulting element ratios are plotted in a ternary system for comparison to known obsidian sources in the Southwest (see Table 1 and Figures 1 and 2). The solid incompatible elements Rb, Sr, Zr, and Nb are quite sensitive in separating rhyolite glass sources (Cann 1983; Cox et al. 1979; Zielinski et al. 1977). Niobium (Nb) is normally utilized when strontium values are low. In this study, niobium was used to attempt verification of source assignment

on two specimens (#'s 7062 and 9023). It should be emphasized that source assignments are probabilities and confidence is directly proportional to the number of known sources in a given region (Hughes 1984).

Discussion

The data are displayed in Table 1 and Figures 1 and 2. The material assigned to the Government Mountain source was based on geochemical and megascopic criteria. While some of the specimens overlap the envelope for the Cow Canyon source, the megascopic character is consistent with Government Mountain glass and quite distinct from Cow Canyon, a consistently near transparent/banded small nodule source in east central Arizona (Shackley 1986c). Government Mountain obsidian is distinctly sub-vitreous, nearly opaque and gray in color. The sub-vitreous fabric is probably due to high concentrations of magnetite [(Fe,Mg) Fe₂O₄] microlites in the glass (Shackley 1986c). Government Mountain glass seems to exhibit greater chemical variability than most sources in the San Francisco Volcanic Field.

Superior glass was also common in the assemblage. It is distinct by its consistent transparent brown fabric. The specimens assigned to this source are fairly confident assignments. The Mule Creek material occurs in Hohokam contexts (i.e. Spur Cross Ranch Site) in central Arizona with some regularity, but in low frequencies (Shackley 1986a). The one unknown, while overlapping Kendrick Peak (Sr) and Slate

Mountain (Nb) is too inconsistent to assign to either source. The specimen is a near transparent glass typical of mid-Tertiary marekanite sources in central Arizona and western New Mexico and may be a chemical outlier of Superior, Vulture, Sauceda Mountains or some other locality. No confident source assignment can be made.

REFERENCES/BIBLIOGRAPHY

Cann, J. R.

1983 Petrology of Obsidian Artefacts. In *The Petrology of Archaeological Artefacts*, edited by D.R.C. Kempe and A.P. Harvey, pp. 227-255. Clarendon Press, Oxford.

Cox, K.G., J.D. Bell, and R.J. Pankhurst

1979 *The Interpretation of Igneous Rocks*. George Allen & Unwin, London.

Hughes, Richard E.

1984 Obsidian Sourcing in the Great Basin: Problems and Prospects. In *Obsidian Studies in the Great Basin*, edited by Richard E. Hughes, pp. 1-19. Contributions of the University of California Archaeological Research Facility 45. Berkeley.

Jack, Robert N.

1971 The Source of Obsidian Artifacts in Northern Arizona. *Plateau* 43(1):103-114.

Jack, Robert N., and I.S.E. Carmichael

1969 The Chemical 'Fingerprinting' of Acid Volcanic Rocks. *California Division of Mines and Geology, Special Report* 100, pp. 17-32.

Shackley, M. Steven

1986a Diachronic and Spatial Variability of Obsidian Procurement in the American Southwest: A Trace Element Exploration of Southwest Obsidian Sources. Paper Presented at the 51st Annual Meeting of the Society for American Archaeology, New Orleans.

1986b Obsidian Geochemistry and Lithic Technology:
Inferences for Archaic Hunter-Gatherer Procurement Ranges.
In *Prehistoric Hunter-Gatherers of South Central Arizona:*
The Picacho Reservoir Archaic Project, edited by Frank E.
Bayham, Donald H. Morris, and M. Steven Shackley.
Anthropological Field Studies No. 13, PP. 171-190.
Arizona State University.

1986c Sources of Archaeological Obsidian in the Southwest:
An Archaeological, Petrological, and Geochemical Study.
Manuscript submitted to *American Antiquity*, November,
1986.

Zielinski, R. A., P.W. Lipman and H.T. Millard
1977 Minor Element Abundances in Obsidian, Perlite and
Felsite of Calc-Alkalic Rhyolites. *American
Minerologist* 62:426-437.

SOUTHWEST XRF PAPER

Table 1. X-ray fluorescence net intensity ratios for obsidian artifacts from Shoofly Ruin, central Arizona

SAMPLE NO.	Rb/Rb	Sr/Rb	Zr/Rb	SUM	Rb	Sr	Zr	PROBABLE SOURCE
8396	1.00	0.1549	1.1847	2.3397	0.4274	0.0662	0.5064	Superior
11236	1.00	0.1425	1.2701	2.4125	0.4145	0.0590	0.5265	Superior
1147	1.00	0.8429	1.2965	3.1394	0.3185	0.2685	0.4130	Govt. Mtn
7303	1.00	0.0905	0.5714	1.6619	0.6017	0.0545	0.3438	Mule Cr/Gwynn Cnyn, NM
15264	1.00	0.8846	1.1256	3.0103	0.3322	0.2939	0.3739	Govt. Mtn
8397	1.00	0.8953	1.2820	3.1773	0.3147	0.2818	0.4035	Govt. Mtn
8242	1.00	0.8831	1.1604	3.0435	0.3286	0.2901	0.3813	Govt. Mtn
8248	1.00	1.1126	1.4620	3.5746	0.2797	0.3112	0.4090	Govt. Mtn
1278	1.00	0.7905	0.9951	2.7856	0.3590	0.2838	0.3572	Govt. Mtn
3157	1.00	0.9348	1.2109	3.1457	0.3179	0.2972	0.3849	Govt. Mtn
4118	1.00	0.7752	1.0251	2.8003	0.3571	0.2768	0.3661	Govt. Mtn
73	1.00	0.8261	1.0778	2.9039	0.3444	0.2845	0.3712	Govt. Mtn
15266	1.00	0.0730	1.1361	2.2091	0.4527	0.0331	0.5143	Superior
7026	1.00	0.0000	1.5806	2.5806	0.3875	0.0000	0.6125	unknown (Cent. AZ?)
4224	1.00	0.9717	1.5483	3.5199	0.2841	0.2760	0.4399	Govt. Mtn
9023	1.00	0.0945	0.5222	1.6168	0.6185	0.0585	0.3230	Mule Cr/Gwynn Cnyn
1381	1.00	0.7343	0.9792	2.7135	0.3685	0.2706	0.3609	Govt. Mtn
9432	1.00	0.1092	1.1084	2.2175	0.4510	0.0492	0.4998	Superior
4121	1.00	0.8485	1.0507	2.8991	0.3449	0.2927	0.3624	Govt. Mtn
3149	1.00	0.8485	1.1446	2.9930	0.3341	0.2835	0.3824	Govt. Mtn
2144	1.00	0.7867	0.9551	2.7418	0.3647	0.2869	0.3483	Govt. Mtn
9182	1.00	0.9259	1.2725	3.1984	0.3127	0.2895	0.3978	Govt. Mtn
2003	1.00	0.0764	0.9933	2.0697	0.4832	0.0369	0.4799	Superior
2128	1.00	0.7555	1.0109	2.7664	0.3615	0.2731	0.3654	Govt. Mtn
15143	1.00	0.7780	0.8789	2.6568	0.3764	0.2928	0.3308	Govt. Mtn
9384	1.00	0.1150	1.0075	2.1224	0.4712	0.0542	0.4747	Superior
10435	1.00	0.1126	1.1663	2.2789	0.4388	0.0494	0.5118	Superior
Rb/Rb	Nb/Rb	Zr/Rb	SUM	Rb	Nb	Zr		
7026	1.00	0.3688	1.5806	2.9494	0.3391	0.1251	0.5359	unknown (Cent. AZ?)
9023	1.00	0.1427	0.5222	1.6650	0.6006	0.0857	0.3137	Mule Cr/Gwynn Cnyn

Figure 1. Ternary plot of Zr, Sr, Rb net intensity ratios of archaeological obsidian from Shoofly Ruin and selected southwestern obsidian sources.




Figure 2. Ternary plot of Zr, Nb, Rb net intensity ratios of selected archaeological obsidian from Shoofly Ruin and selected Southwestern obsidian sources.

